

SkyTeam website Cookie table
Version: April 2017

#	Cookie	Purpose	Collected information	Validity period	First/third-party cookie	Data sharing/ linking
General examples	Insert name and category of each cookie that may be placed on one of the webpages of the relevant website(s). Where applicable, specify per site.	Fill in why and for what purpose(s) this cookie and the collected information are used.	Fill in per cookie what information is collected with it.	Fill in per cookie how long it is valid.	Fill in what party places the cookie: you or a third-party? Where applicable: specify the relevant third-party (their domain) and an URL to their cookie/privacy policy.	Fill in what party can read out the cookie, and if applicable with what parties this data may be shared, and to what information this data may be linked.
	• no-follow cookie	ensure no cookies are placed for which consent is needed	<ul style="list-style-type: none"> • IP address • date and time • visited webpage 	<ul style="list-style-type: none"> • during browser session • 30 days • half a year 	third party: Google DoubleClick cookie Google privacy information: https://support.google.com/adsense/answer/2839090?hl=en and http://www.google.com/intl/en/policies/privacy/	Google: the data of Google Analytics may be linked by Google to data collected via its other services, such as Search, YouTube, Maps and DoubleClick Google privacy information: http://www.google.com/intl/en/policies/privacy/ and https://support.google.com/analytics/answer/6004245?hl=en
	• analytic cookie	analyze usage of website to improve its quality and/or effectiveness				
	• affiliate cookie	keep track of what advertisement led to a purchase to reward party that showed the advertisement (the affiliate)				
	• a/b-testing cookie	determine which one of two versions of (part of) website is most effective				
	• frequency-capping cookies	ensure that specific advertisement is shown limited number of times				
	• authentication cookie	identify user once logged on				
	• multimedia player session cookie	storage of technical data needed to play back video or audio content				
	• load balancing session cookie	distribute processing of web server requests over pool of machines				
	• user interface customization cookie	storage of user's preference regarding a service across web pages				
	• social plug-in content sharing cookie	enable social networks users to share content				
	• social plug-in tracking cookie	provide social network services and track social networks users				
	• no-follow cookie	ensure no cookies are placed for which consent is needed				
Specific example	example_cc, functional cookie	Keeping track of the cookies for placement of which the website visitor has provided consent				

ROUNDTHEWORLD BOOKING.COM

1.	ASP.NET_SessionId (Session , Cookies)	To maintain user session	current user session id	During browser session	First-party cookies, placed via visited webpage	RTW tool - not shared with any other utility
2.	__RequestVerificationToken (Session , Cookies)	Request verification on checkout pages like traveller, payment etc	verification token	During browser session	First-party cookies, placed via visited webpage	RTW tool - not shared with any other utility
3.	BackToCurrentPage (Tracking, Local storage)	To Identify the previous page	current page	During browser session	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
4.	HasItinerary (Functional, Local storage)	To identify user saved trips	List of saved trip	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
5.	IsWelcomePageHit (Functional, Local storage)	To set redirect user to welcome page	page name	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
6.	LocationsListLocal (Functional, Local storage)	Improve performance of auto suggestion	List of valid locations	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
7.	RefreshCacheTimerCount (Amadeus Session management)	ensure that specific advertisement is shown limited number of times	timer info	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
8.	guid (Functionality, Local storage)	identify user once logged on	unique identification of user	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
9.	CurrentPage (Navigation, Local storage)	to identify current page	current page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
10.	Currentpax (Functionality, Local storage)	Current pax number and type	pax number and type for the itinerary	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
11.	PaxStatus (Functional, Local storage)	To identify pax details update status	Remaining pax count to fill traveller details	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility

12.	PreviousPage (Navigation, Local storage)	To identify the previous page of user	Previous page name	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
13.	expctedCabin (Functionality, Local storage)	To identify changed cabin	Cabin class(Economy or Business)	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
14.	expctedCurr (Functionality, Local storage)	To identify changed currency	Currency Code (USD or EUR)	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
15.	expctedOrg (Functionality, Local storage)	To Identify origin city when the back forth between different page	Origin city	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
16.	CabinClassCode (Functionality, Local storage)	To identify changed cabin	Cabin class(Economy or Business)	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
17.	ComingFromMySavedItln (Navigation, Local storage)	To identify if user coming from saved trips	Yes - if coming from my saved itineraries No - if not coming from my saved itineraries	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
18.	ComingFromThemeBasedItln (Navigation, Local storage)	To identify if user coming from theme base Itinerary	Yes - if coming from theme based itineraries No - - if coming from theme based itineraries	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
19.	ComingFromThemeBasedRouteSugg (Navigation, Local storage)	To Identify if user coming from theme base search functionality	Yes - if coming from theme based routes No - if coming from theme based routes	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
20.	IsRouteComplete (Functionality, Local storage)	To Indicate the route has been completed	true - if the route is complete and is valid false - if the route is incomplete	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
21.	Milestxt (Functionality, Local storage)	To display miles information	Multilingual text	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
22.	OrginCityCode (Functionality, Local storage)	To Store Origin city code	Origin city code	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility

23.	OrginCityName (Functionality, Local storage)	To store Origin city name	Origin city name	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
24.	PageRefresh (Functionality, Local storage)	Is page refresh request	true - if the map page is reloaded false - if it is fresh page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
25.	SelectedTravelSeq (Functionality, Local storage)	To identify travel sequence area	Route sequence - eastbound -westbound	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
26.	SwapRouteBtn (Functionality, Local storage)	To swap between 'Shortest' & 'Generate as entered'	true - if swap button is visible false - if swap button is not visible	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
27.	ThemeBasedRoute (Functionality, Local storage)	To Indicate theme base route	true - if the route is created from theme based functionality false - if the route is created from none theme based functionality	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
28.	NoRouteModification (Functionality, Local storage)	Identification if user has changed his/her itinerary	true - if the route is modified on map page false -if the route is not modified on map page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
29.	OrgCityFrmWelcomepg (Functionality, Local storage)	To store enter city on welcome page	Origin City	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
30.	IsaddcityMsg (Functionality, Local storage)	If any message for add city	true - if message is to be shown false - if message is not to be shown	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
31.	SelectedTravelDir (Functionality, Local storage)	Ensure that specific advertisement is shown limited number of times	Eastbound or Westbound	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
32.	SelectedTravelOpt (Functionality, Local storage)	To Identify Option selected by user	Option1 or Option2	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
33.	SkipFlag (Functionality, Local storage)	Has user skip to set travel sequence	true - if the user does not selects any particular direction on travel sequence page false - if the user does not selects any particular direction on travel sequence page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility

34.	AdltCnt (Functionality, Local storage)	Total number of Adult pax type	Number of adults in the itinerary	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
35.	BackToReviewClick (Navigation, Local storage)	To Identify back button click on review summary page	true - if the user clicks on back button on review summary page false - if the user not clicks on back button on review summary page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
36.	ChldCnt (Functionality, Local storage)	Total number of Child pax type	Number of children in the itinerary	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
37.	InfCnt (Functionality, Local storage)	Total number of Infant pax type	Number of infants in the itinerary	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
38.	InfWithoutSeat (Functionality, Local storage)	Total number of Infant without seat pax type	Number of infants without seat in the itinerary	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
39.	IsFirstTimeReviewPage	If user has visit the first time	true - if user has visited the review page for the first time in the active session false - if user has not visited the review page for the first time in the active session	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
40.	IsSaveClicked (Event Tracker, Local storage)	To identification for save button clicked	true - if user clicks on save itinerary button false - if user not clicks on save itinerary button	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
41.	OrgCityCode (Functionality Local storage, Local storage)	To Identify origin city code	Origin city code	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
42.	TimerCountDown (Amadeus session management, Local storage)	To Set max Amadeus timing to call Service	Amadeus session timer value 0 to 13 minutes	During one booking duration	NA	NA
43.	TotalCities (Functionality, Local storage)	Number of cities in routes	Cities count in the itinerary	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility
44.	AmadeusSesionCacheTimeOut (Amadeus session management, Local storage)		Amadeus timer max value - 13 minutes	During one booking duration	NA	NA

45.	IsFirstTimePaymentPage (Functionality, Local storage)	To identify if user came first time on the payment page	true - if the payment page is loaded for first time in active session false - if the payment page is not loaded for first time in active session	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility
46.	IsFirstTimeTravllerPage (Functionality, Local storage)	To identify if user came first time on the Traveller page	true - if the traveller page is loaded for first time in active session false - if the traveller page is not loaded for first time in active session	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
47.	CurrntAssociate (Functionality, Local storage)	To Identify payment currency	Associated adult index	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
48.	IsComingFromBack (Functionality, Local storage)	To preserve state of previous page in case you back from any page	true - if the traveller sequence page is loaded from map page false - if the traveller sequence page is not loaded from map page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
49.	NavigateTo (Navigation, Local storage)	Identify when to navigate next in different cases within application	Name of next page to be visited	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
50.	RefreshAmadeusSesion (Amadesu sessoin mangement, Local storage)	To Renew Amadeus session	true - if Amadeus session is to be refreshed false - if Amadeus session is not to be refreshed	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
51.	ConfirmationPage (Functionality, Local storage)	To Identify confirmation page as we used share component.	true- if user reaches the confirmation page false - if user not reaches the confirmation page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
52.	IsCabinClassChanged (Functionality, Local storage)	To identify if cabin has been changed	true- if the cabin class is changed false - if the cabin class is not changed	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
53.	IsCopy (Action performed, Local storage)	To identify if copy action perform	true - if copy itn is performed false - if copy itn is not performed	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
54.	IsOpen (Action performed, Local storage)	To identify If itinerary opened from saved trips	true - if itn is opened from saved itineraries false - if itn is not opened from saved itineraries	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility

55.	IsGoingToManageBooking (Navigation, Local storage)	To determine redirection to manage my booking page	true - if user is navigating to manage booking page false - if user is not navigating to manage booking page	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
56.	modificationRequest (Navigation, Local storage)	To identify change booking request	true - if user submits the modification request false - if user not submits the modification request	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
57.	ComingFromSubmitChange (Navigation, Local storage)	To identify if user has submitted change request	true- if user coming after submitting the change request false - if user not coming after submitting the change request	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
58.	prevCabinValForRadioButton (Functionality, Local storage)	To identify cabin change post booking	Cabin class(Economy or Business)	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
59.	PaxCheckedAddRemoveHidden (Functionality, Local storage)	To Identify user has pax preference changed	true - if the checkbox it to show false - if the checkbox it to hide	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
60.	PaxCheckedAddRemove (Functionality, Local storage)	To Identify user has pax preference changed	true - if the checkbox it to show false - if the checkbox it to hide	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
61.	CopeltnClick (Navigation, Local storage)	TO Identify Copy Itinerary click	true - if user clicks on copy itn button false - if user not clicks on copy itn button	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
62.	AWSELB (load balancing session , cookie)	Distribute processing of web server requests over pool of machines	To Identify Request serving server details	Current User session	First party cookies placed by load balancer	RTW tool - not shared with any other utility
63.	x_axis_main	Lightning Bolt ecommerce tagging to track visited page with specific details	<ul style="list-style-type: none"> Itinerary Number Itinerary fare Payment Currency Request_token – unique identifier PNR 	1 Year	Third party cookies placed by lightning bolt	Shared with xasix.
64.	fr	To share itinerary via Facebook	Request token/key	3 Month	Third party cookies placed by Facebook	No data Sharing
65.	_js_datr	To share itinerary via Facebook	Request token/key	2 Year	Third party cookies placed by Facebook	No data Sharing

66.	_js_reg_ext_ref	To share itinerary via Facebook	Referral url	Current User session	Third party cookies placed by Facebook	No data Sharing
67.	_js_reg_fb_gate	To share itinerary via Facebook	Facebook url Api key	Current User session	Third party cookies placed by Facebook	No data Sharing
68.	_js_reg_fb_ref	To share itinerary via Facebook	Facebook url Api key	Current User session	Third party cookies placed by Facebook	No data Sharing
69.	IDE	Unique identifier	DoubleClick Key	2 Year	Third party cookies placed by Double Click	No data Sharing
70.	id	Page tracking details	pageid	2 Year	Third party cookies placed by Double Click	No data Sharing
71.	wd	To share itinerary via Facebook	Width of popup window	Current User session	Third party cookies placed by Facebook	No data Sharing
72.	BackToCurrentPage (Navigation, Local storage)	To find which page to visit when back button is clicked in the header	Name of page to visit	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
73.	BookingRetrieved (Functionality, Local storage)	To find is booking is successfully retrieved from welcome page	Yes - if the booking is retrieved successfully No - if the booking is not retrieved successfully	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
74.	ExportPdfClicked (Functionality, Local storage)	To identify is the Export to PDF button is clicked	Yes - if the export PDF is clicked No - if the export PDF is not clicked	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
75.	currentGUID (Functionality, Local storage)	To store the current guid (unique to every session and user)	GUID value (appears in address bar also)	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
76.	helpBoxCounter (Functionality, Local storage)	To identify the edit route button is clicked for the first time on map page	Integer value of how many times the edit route button is clicked	During one booking duration	First-party local storage, placed via visited webpage	RTW tool - not shared with any other utility
77.	isAfterChangingPaxType (Functionality, Local storage)	To identify that the user has accepted to change from child to adult or from infant to adult pax type due to age issues	true - if user is navigating back to choose flight page to change the pax type false - if user is navigating back to	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility

			choose flight page to change the pax type			
78.	IsFirstTimeReviewPage (Functionality, Local storage)	To identify if the review page is opened for first time	Integral value for the number of visits on review summary page	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility
79.	ItineraryNo-B2CIBEPProduction (Functionality, Local storage)	The itineraries on local browser	Itinerary numbers on user browser	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility
80.	LastSegDepDt (Functionality, Local storage)	The dep date of last segment of itinerary is stored to check if all pax types remain same at the end of journey	The date time of last segment of itinerary	During one booking duration	First Party - RTW tool	RTW tool - not shared with any other utility
81.	ASP.NET_SessionId (Session , Cookies)	To maintain user session	current user session id	During browser session	First Party - RTW tool	RTW tool - not shared with any other utility

GLOBAL MEETINGS

82.	Session Cookie	Identify user and storage of users shopping information throughout their session	<ul style="list-style-type: none"> IP Address Date and time Visited webpage 	During browser session	First Party – Trisept	Internal Trisept Only
83.	Analytic cookie	Installed on site per Sky Team’s original request. Purpose for Sky Team would be to analyze usage of website to improve its quality and/or effectiveness	<p>User behaviour and interaction – including, but not limited to:</p> <ul style="list-style-type: none"> Page visited Date Time Ip Address 	Cookie duration valid forever	Third party google analytics. Data goes to google server https://support.google.com/adsense/answer/2839090?hl=en and http://www.google.com/intl/en/policies/privacy/	<p>Google: the data of Google Analytics may be linked by Google to data collected via its other services, such as Search, YouTube, Maps and DoubleClick</p> <p>https://www.google.com/intl/en/policies/privacy/ & https://support.google.com/analytics/answer/6004245?hl=en</p>

SKYTEAM.COM

84.	Session Cookie	Identify user selected language and store it to be used across all pages	language	During browser session	Skyteam.com cookie	Internal to website only
-----	----------------	--	----------	------------------------	--------------------	--------------------------

85.	Analytic cookie	Installed on site per Sky Team's original request. Purpose for Sky Team would be to analyze usage of website to improve its quality and/or effectiveness	User behaviour and interaction – including, but not limited to: <ul style="list-style-type: none"> · Page visited · Date · Time · Ip Address 	Cookie duration valid forever	Third party google analytics. Data goes to google server https://support.google.com/adsense/answer/2839090?hl=en and http://www.google.com/intl/en/policies/privacy/	Google: the data of Google Analytics may be linked by Google to data collected via its other services, such as Search, YouTube, Maps and DoubleClick https://www.google.com/intl/en/policies/privacy/ & https://support.google.com/analytics/answer/6004245?hl=en
-----	-----------------	--	--	-------------------------------	---	---

Please insert additional rows where required.

NB If techniques similar to cookies are being used (e.g. Javascripts, Flash cookies, HTML5-local storage, web beacons, and other technologies with which data is stored and/or accessed) please insert these into the table as well and fill out the relevant information for as far possible/relevant.